



CENBOIL PLUS

BWP HDF BOARDS



Boiling Water
Proof



Fire
Retardant



Borer
Proof



Termite
Proof



High Moisture
Resistant



Superior
Strength



Super
High-Density

KEY FEATURES



High Surface
Density




Maximum
Screw Holding
Capacity



Super
Smooth Surface



High
Bonding Strength



High
Dimensional
Stability



100%
Hardwood

Available Thickness (8/12/16.75/18 mm)
Available in both Plain & Prelam Boards

Century Plyboards (India) Limited

Engineered Panel Products Division

Sales & Marketing Office: Tower B - 8th Floor, Vatika Mindscape,
Sector 27D, Faridabad, Haryana - 121003.

Ph.: 7042399909 | Email: prowud@centuryply.com

www.centuryhdf.com | Follow us on: @centuryhdf

THE FUTURE OF BOILING PROOF INTERIORS

Cenboil Plus by CenturyHDF is more than just a board; it's a revolutionary solution designed for the demands of modern living. In an era where quality and resilience are paramount, Cenboil Plus emerges as the ultimate choice for interiors that combine strength, style, and sustainability. Crafted with advanced engineering, this boiling-waterproof board withstands the harshest conditions, making it ideal for kitchens, bathrooms, and workspaces. Whether facing boiling water, fire, or high humidity, Cenboil Plus ensures that your interiors remain immaculate and secure, setting a new benchmark in durability and versatility.

Its eco-conscious design appeals to those who prioritise the environment without compromising on quality, blending functionality with sustainability. As a versatile solution for various applications, it adapts effortlessly to your interior needs, from cabinets to wall panelling. Cenboil Plus isn't just a product, it's a promise of innovation and excellence. With an unmatched 25-year warranty, it redefines reliability, giving you peace of mind for decades to come. Choose Cenboil Plus by CenturyHDF to transform your interiors into a future-ready haven that speaks of sophistication, safety, and durability.

UPGRADE YOUR SPACE WITH 10 KEY BENEFITS OF CENBOIL PLUS!

- **Boiling Water Proof:** Ensures no water damage even under extreme boiling conditions, keeping your interiors pristine.
- **Fire Retardant:** Adds an essential safety layer to your interiors, protecting against fire hazards.
- **High Moisture Resistance:** Perfect for high-humidity areas, maintaining strength and structure over time.
- **Termite & Borer Proof:** Guards your interiors from infestations, ensuring longevity and aesthetics.
- **Tough Against Wear and Tear:** Designed for daily use, it retains its charm and durability for years.
- **Versatile Applications:** Ideal for kitchens, bathrooms, offices, and more, offering unmatched adaptability.
- **Eco-Friendly:** Crafted with sustainability in mind, it's a responsible choice for environmentally-conscious consumers.
- **Long-Term Durability:** Built to withstand the toughest conditions, offering unparalleled resilience.
- **Stylish and Functional:** Combines strength with elegance, elevating the aesthetics of any space.
- **25-Year Warranty:** Provides peace of mind with unmatched assurance of quality and durability.

TECHNICAL DETAILS

FIRE RETRARDANT PROPERTIES CENBOIL PLUS - BWP HDF BOARD V/S FR PLYWOOD

TEST DESCRIPTION	STANDARDS	UOM	SPECIFICATION	FIRE RETARDANT PLYWOOD IS-5509 REQUIREMENTS	CENBOIL PLUS HDF RESULTS
Thickness		mm		19 mm	18 mm
Flame Penetration	Should be minimum 2.5 times of thickness	Minutes	as per IS 5509	>45 Minutes	58.41 min
Rate of Burning	Time taken to lose weight from 30% to 70% shall not be less than 20 min	Minutes	as per IS 5509	>20 Minutes	43.5 min
Flammability	Time taken for 2 nd ignition shall not be less than 30 min	Minutes	as per IS 5509	>30 Minutes	66 min

CENBOIL PLUS : BWP HDF BOARD

FEATURES	STANDARDS
BWP	Boiling Waterproof
Fire Retardant	Resistant to fire hazards
Borer Proof	Prevents borer damage
Termite Proof	Protection against termites
High Moisture Resistance	Durable in wet conditions
Super High Density	Compact and robust
High Surface Density	Smooth and even surface
Maximum Screw Holding Capacity	High strength for fittings
Superior Strength	Withstands heavy use
Super Smooth Surface	Easy to finish and polish
High Bonding Strength	Reliable structural integrity
High Dimensional Stability	Minimal warping or expansion
100% Hardwood	Made entirely from hardwood
Thickness Ranges : 8/12/16.75/18 mm	
Warranty: 25 years	
Made in India's most advanced MDF plant.	

**LET YOUR SPACE SHINE WITH
THE STRENGTH OF OUR BOARDS**



**BUILD YOUR KITCHEN'S
DURABILITY WITH US**



**SERVING STYLE AND STRENGTH
ON EVERY PLATTER**



**ELEVATING LIVING SPACES
WITH UNMATCHED PRECISION**

